

# HIGH PRESSURE GSS PUMPS

## HIGH-PERFORMANCE FUEL PUMPS

TI Automotive fuel pumps with brush and brushless motors are available in multiple sizes and materials for gasoline, diesel and flex-fuel applications. With a comprehensive line of gear, screw and turbine available with brush or brushless configurations, TI Automotive pumps are designed for reliable, efficient and quiet performance.



### Features & Benefits:

- Fuel pump technology built to exceed OE specifications
- Dual Channel Single Stage (DCSS) pump motor technology to prevent cavitation
- High flow rates available (up to 450 LPH)
- High pressure performance (up to 112 psi) with minimal flow loss
- Superior hot fuel handling performance



## Walbro Automotive Fuel Pumps are now TI Automotive

For decades, Walbro fuel pumps were manufactured by TI Automotive. Now, the Walbro name for automotive fuel pumps is TI Automotive. Same performance, quality and reliability that you have come to know and expect.




### About TI Automotive


TI Automotive manufactures a complete line of fuel pumps, accessories, pump kits and fuel modules for the high-performance aftermarket. Approximately two-thirds of the vehicles produced around the world feature TI Automotive's fluid systems products and technology. TI Automotive's award-winning fuel delivery system technology is featured on some of the world's highest performing production vehicles, such as the Bugatti Veyron, Dodge Challenger SRT Hellcat, Dodge Viper, Dodge Charger SRT Hellcat and Koenigsegg One:1.

# MORE PRESSURE = MORE POWER...

## TYPICAL F20000311, F20000312, & F20000313 PUMP



## TYPICAL GSS340, GSS341, GSS342 FLOW



### High pressure GSS Pumps

- F20000311 = GSS340 with a higher pressure relief. 22mm center inlet
- F20000312 = GSS341 with a higher pressure relief. 11mm inlet, 180 degrees from the outlet
- F20000313 = GSS342 with a higher pressure relief. 11mm inlet, in line with the outlet
- Higher pressure relief for cars that require a higher fuel system pressure than that which can be supported by GSS340, GSS341, GSS342
- Great for forced induction (turbocharged, supercharged) applications
- 255 lph pumps can support 500 horsepower
- Proven, robust gerotor technology
- OE quality

\* Professional installation recommended.

[tiautomotive.com/aftermarket](http://tiautomotive.com/aftermarket)

@TI\_Racing

TI Automotive Performance